

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

> 2

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

021828 QM02/0905 CARRIER BLACKMAN AND ASSOCIATES 24101 NOVI ROAD SUITE 100 NOVI MI 48375

APPLICATION NO.	FILING DATE	TOTAL CLAIMS	EXAMINER AND GROU	DATE MAILED	
09/391,864	09/08/99	015 M	CALEENAN, J	3745	09/05/00
First Named ASTMAN,		35 USC	154(b) term ext.	= 0 Days	, a

TITLE OF INVENTION - TERING PUMP ASSEMBLY

ATTY'S DOCKET	NO.	CLASS-SUBCLASS	BATCH NO.		APPLN. TYPE	SMALL ENTITY		FEE DUE	· .DATE DUE	
3 EOD-10	1 -A	415-121	200	R66	UTILITY	YES	\$	605.00	12/05/00	

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. <u>THIS STATUTORY PERIOD CANNOT BE EXTENDED.</u>

HOW TO RESPOND TO THIS NOTICE:

- Review the SMALL ENTITY status shown above.
 If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
 - B. If the status is the same, pay the FEE DUE shown above.
- If the SMALL ENTITY is shown as NO:
- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.
- II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give application number and batch number.

 Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PATENT AND TRADEMARK OFFICE COPY

Notice of Allowability

Application No. 09/391,864

Applicant(s)

Eastman et al.

Examiner

James M. McAleenan

Group Art Unit 3745



All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.					
X This communication is responsive to					
Y The allowed claim(s) is/are					
☐ The drawings filed on are acceptable.					
☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).					
☐ All ☐Some* ☐None of the CERTIFIED copies of the priority documents have been					
☐ received.					
received in Application No. (Series Code/Serial Number)					
received in this national stage application from the International Bureau (PCT Rule 17.2(a)).					
*Certified copies not received:					
Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).					
A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE THREE MONTHSROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).					
Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.					
X Applicant MUST submit NEW FORMAL DRAWINGS					
because the originally filed drawings were declared by applicant to be informal.					
including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No Column					
including changes required by the proposed drawing correction filed on, which has been approved by the examiner.					
including changes required by the attached Examiner's Amendment/Comment.					
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal lettter addressed to the Official Draftsperson.					
☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.					
Attachment(s)					
□ Notice of References Cited, PTO-892					
☐ Information Disclosure Statement(s), PTO-1449, Paper No(s).					
X Notice of Draftsperson's Patent Drawing Review, PTO-948					
 Notice of Informal Patent Application, PTO-152 Interview Summary, PTO-413 					
☐ Interview Summary, P10-413 ☐ Examiner's Amendment/Comment					
☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material					
X Examiner's Statement of Reasons for Allowance					

Application/Control Number: 09/391,864 Page 2

Art Unit: 3745

REASON FOR ALLOWANCE

Claim 1-16 are allowed. The following is a statement of reasons for the indication of 1. allowable subject matter: Carpenter (U.S. Patent Number 2,280,626) discloses a filter pump assembly for pumping and filtering a fluid including a pump subassembly having an inlet portion with a first cross-sectional shape and a filter subassembly. See Figures 1 of Carpenter. But, the reason Carpenter fails is because the filter subassembly does not have a filter element formed of a porous material for placement in covering relation to the cage member. Griffen et al. (U.S. Patent Number 5,202,021) discloses a filter element formed of a porous material for placement in covering relation to the cage member. See Figures 1-4. But, the reason Griffen et al. fails is because the filter subassembly of Griffen et al. would not have been obvious to one having ordinary skill in the art, at the time applicant's invention was made, to modify the device of Carpenter by incorporating a filter element formed of a porous material for placement in covering relation to the cage member as taught by Griffen et al., for the purpose of providing a filtering means as claimed. The improvement of the instant invention comprises a filtering pump assembly for pumping and filtering a fluid having a filter element formed of a porous material for placement in covering relation to the cage member.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee, and to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/391,864

Art Unit: 3745

fee. Such submissions should be clearly labeled "comments on Statement of Reasons for

Allowance."

CONTACT INFORMATION

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Examiner James M. McAleenan whose telephone number is (703) 308-

2827. The examiner can normally be reached on Monday - Friday from 9:00 a.m. to 4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward Look, can be reached on (703) 308-1044. The fax phone number for this

Group is (703) 305-3588.

An inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the Group receptionist whose telephone number is (703) 308-0861.

James MM aleen 8/26/00

James M. McAleenan Patent Examiner Art Unit 3745

EDWARD K. LOOK SUPERVISORY PATENT EXAMINER

Page 3

GROUP 3700 9(29(00